

**BUILDING TRUST** 

# PRODUCT DATA SHEET

# Sika® Cleaner PCA

## CLEANING PAD AND PRIMER APPLICATOR

#### TYPICAL PRODUCT DATA

Chemical base Open pors, expanded melamine resin		
Color (CQP001-1)	Light grey	
Application method	Dry scrub or wet scrub with Sika® Cleaner G+P	

#### **DESCRIPTION**

Sika® Cleaner PCA is a smart cleaning pad based on melamine foam. It is used for removal of contamination or cleaning of windshields and other surfaces.

Additionally it can be used to apply certain Sika® Primers.

#### PRODUCT BENEFITS

- Quick, clean and simple way to remove contamination and label residues.
- Suitable as primer applicator
- EHS friendly

#### AREAS OF APPLICATION

Sika® Cleaner PCA is designed for the removal of contamination on ceramic frits or glass. It can also be used for the removal of label residues and other kinds of contamination.

Sika® Cleaner PCA is well suited to apply Sika® Primers used in the Automotive Glass Replacement business.

This product is suitable for experienced professional users only. Tests with actual substrates and conditions have to be performed to ensure adhesion and material compatibility.

# PRODUCT DATA SHEET

**Sika® Cleaner PCA**Version 02.01 (03 - 2023), en\_DK
01940000030020000

#### METHOD OF APPLICATION

To remove the contamination from windshields, use Sika® Cleaner G+P or an equivalent non antistatic glass cleaner to wet the surface and detect contamination. Start scrubbing with a Sika® Cleaner PCA the bond area. For heavy contamination Sika® Cleaner PCA can be used dry to increase effectivness.

Always consider that it is designed for single use application only.

Wipe the Sika® Cleaner G+P off and allow the surface to dry completely before the next step in surface preparation is performed.

#### **IMPORTANT NOTE**

Compatibility with the current substrate has to be verified prior to the application. Before using Sika® Cleaner PCA to sensitive surfaces (e.g. plastics, etc.) it is recommended to test it on a small, possibly non-visible area of the base material.

Prior the adhesive application the surface has to be pre-treated according to Sika's surface preparation recommendations.

#### **FURTHER INFORMATION**

The information herein is offered for general guidance only. Advice on specific applications is available on request from the Technical Department of Sika Industry.

Copies of the following publications are available on request:

Safety Data Sheets

### PACKAGING INFORMATION

Box	168 pieces	

#### **BASIS OF PRODUCT DATA**

All technical data stated in this document are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

#### **DISCLAIMER**

Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or endusers of the product, have been given in good faith based on our own experiences and based on approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure, that our products are suitable for the use in question and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is affected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended, unless stated otherwise.

#### PRODUCT DATA SHEET

**Sika® Cleaner PCA** Version 02.01 (03 - 2023), en\_DK 01940000030020000 Sika Danmark A/S Hirsemarken 5 3520 Farum Tlf. +45 48 18 85 85 www.sika.dk







