

# VENDING MACHINES AND STORE REFRIGERATORS ASSEMBLY SOLUTIONS



## SEALING AND BONDING SOLUTIONS FOR VENDING MACHINES AND STORE REFRIGERATORS


Sika technologies are suitable to bond the most common substrates used for industrial applications, offering a competitive advantage with cost-optimized and reliable solutions. Manufacturers of refrigerators and vending machines use Sika solutions to bond and perfectly seal glass doors and covers; while temperature control and food preservation are combined with aesthetics. Sikaflex® solutions fully meet all these requirements, providing structural and durable bond on glass, aluminum and stainless steel frames. Moreover, SikaFast® solutions can be used for fast fixture applications of small components such as displays, pushbuttons, plates and mounting brackets.

### **ADVANTAGES**

- No welding process and metal buckling
- Smooth look without visible clamps or screws
- Possible use of thinner metal sheets
- Reliable and durable joints
- Easy and fast process: sealing and bonding in one step

## **PRODUCT FEATURES**

- Elastic and structural assembly solutions
- Optimized both for large and short scale industrial applications
- Non-sag properties for vertical applications
- High elongation and tensile strength properties with Sikaflex®-260 N
- Gap filling and short handling time with the 2-component technology of SikaFast®-555 L5
- Food approved solutions (indirect contact): Sikaflex®-522 and Sikaflex®-252



Elastic bonding and sealing of mineral glass on metal frame with Sikaflex®-260 N. For applications requiring food approval, Sikaflex®-522 and Sikaflex®-252 can be used. Reliable assembly of displays and small components in plastics and metals with SikaFast®-555 L5. Body removable sealing with SikaLastomer®-710.



### **SIKA SERVICES AG**

Tueffenwies 16 CH-8048 Zurich Phone: +41 (0) 58 436 40 40 Fax: +41 (0) 58 436 55 30

www.sika.com/appliances

Our most current General Sales Conditions shall apply.
Please consult the Data Sheet prior to any use and processing







